


M&M OIL TOOLS




"We are here to serve our customers!"



+1 337-442-6057

www.mmoiltools.com



Made in USA



ABOUT US

M&M Oil Tools has proudly served the oil and gas industry since 1944, delivering high-performance tools designed to increase reliability, simplify maintenance, and provide lasting value. From the beginning, our focus has been on solving real-world challenges with innovative, dependable solutions.

We are committed to serving our customers with excellence, offering quality tools that perform under pressure, and supporting operations around the globe. Our product line includes casing scrapers and brushes, safety and kelly valves, internal blowout preventer valves, and surface test trees (flowheads).

Our tried-and-true PWC Cartridge™ style kelly and safety valves reflect our continued drive to provide tools that reduce downtime, improve safety, and add measurable value.

Operating out of our purpose-built facility in Breaux Bridge, Louisiana, we're equipped to meet today's demands with faster turnaround times, tighter quality control, and enhanced testing capabilities. M&M Oil Tools is here to support your success—every job, every time.



CASING BRUSH TOOL

M&M's Casing Brush Tool has a 15-year track record of cleaning casing ID and dislodging hidden debris.

Key Features & Benefits

- 360-degree contact does not require rotation, works while running in hole (RIH) and pulling out of hole (POH), and can reach corrosion pits and coupling recesses that casing scrapers cannot clean
- A large internal diameter and precise brush placement withstand high-speed rotation and reciprocation in vertical, deviated, and horizontal wells
- The brush bristle design delivers superior scrubbing action—eliminating the need to run a magnet pickup tool to capture broken wires
- A large internal bore and external flow path allow high-rate circulation for maximum wellbore cleaning

Construction & Materials

- The mandrel is machined from high-strength, heat-treated alloy steel bar stock, with integral upper and lower tool joint connections
- Brushes are securely retained in the retainer pockets by solid machined shoulders
- Constructed with premium-grade stainless steel wire
- Bevels on the upper and lower guide rings prevent the tool from hanging on casing connections or downhole restrictions

Sizing





- Available in sizes for use in 4" to 16" OD casing
- (Full dimensional table on the Specifications page — size, casing weight range, connections)





SPECIFICATIONS

Size	Casing Weight Range	Connections
4"	9.5 # - 11.6 #	2.375" WFJ
4-1/2"	9.5 # - 15.10 #	2.375" Regular
5"	11.5 # - 18 #	2-3/8" Regular
5-1/2" (4" OD)	23 # - 26 #	2-3/8" Regular
5-1/2" (4-1/4" OD)	13 # - 20 #	2-7/8" Regular
6-5/8"	17 # - 32 #	3-1/2" Regular
7"	17 # - 35 #	3-1/2" Regular
7-5/8"	20 # - 33.7 #	3-1/2" Regular
9-5/8"	29.3 # - 53.5 #	4-1/2" Regular
16"	55 # - 109 #	6-5/8" Regular





“We Are Here To Serve Our Customers!”



+1 (337) 442-6057

1369 West Mills Avenue
Breau Bridge, LA 70517

+1 (877) 240-9564

3547 West 16th Street
Odessa, TX 79763