





"We are here to serve our customers!"



+1 337-442-6057

www.mmoiltools.com



Made in USA





ABOUT US

M&M Oil Tools has proudly served the oil and gas industry since 1944, delivering high-performance tools designed to increase reliability, simplify maintenance, and provide lasting value. From the beginning, our focus has been on solving real-world challenges with innovative, dependable solutions.

We are committed to serving our customers with excellence, offering quality tools that perform under pressure, and supporting operations around the globe. Our product line includes casing scrapers and brushes, safety and kelly valves, internal blowout preventer valves, and surface test trees (flowheads).

Our tried-and-true PWC Cartridge™ style kelly and safety valves reflect our continued drive to provide tools that reduce downtime, improve safety, and add measurable value.


Operating out of our purpose-built facility in Breaux Bridge, Louisiana, we're equipped to meet today's demands with faster turnaround times, tighter quality control, and enhanced testing capabilities. M&M Oil Tools is here to support your success—every job, every time.



CASING SCRAPER







- M&M's Casing Scraper has been a core product—and a key to the company's success—since its development in 1947.
- Staggered blades provide 360-degree casing coverage.
- A large internal diameter and blade block placement allow circulation at high rates for maximum wellbore cleaning.
- The robust design of M&M's scraper withstands high-speed rotation and reciprocation in vertical, deviated, and horizontal wells.
- The high-strength mandrel is machined from heat-treated alloy steel bar stock—with no welds or castings.
- Spring-loaded blade blocks are positively retained in their pockets by solid machined shoulders,—no fasteners or loose parts.
- This design offers one of the largest casing working ranges in the industry.
- Heat-treated and carburized blade blocks provide maximum strength and durability. Angled cutting edges of blocks and bevels on the body prevent the tool from hanging on casing connections or when entering downhole restrictions.
- Wear groove allows quick visual inspection of blades.
- Available in sizes for API and non-API tubing and casing—from 2 3/8" to 22" OD.





SPECIFICATIONS

Size	Extended	Collapsed	Casing Weight Range	Connections
2-3/8"	2.125"	1.775"	4.7 # - 5.95 #	1-13/16" WFJ
2-7/8"	2.750"	2.120"	6.5 # - 8.7 #	1-13/16" WFJ
3-1/2" (Short Blades)	3.160"	2.610"	9.3 # - 12.95 #	1-13/16" WFJ
4" (Tall Blades)	3.832"	3.200"	9.5 # - 14 #	1-13/16" WFJ
4-1/2" (3-1/4" Body)	4.075"	3.381"	12.6 # - 15.10 #	2-3/8" Regular (3-1/4" OD)
4-1/2" (3-1/2" Body)	4.250"	3.750"	9.5 # - 11.60 #	2-3/8" Regular (3-1/2" OD)
5"	4.660"	4.095"	11.5 # - 18 #	2-3/8" Regular
5-1/2" (4" Body)	4.780"	4.220"	23 # - 26 #	2-3/8" Regular
5-1/2" (4-1/2" Body)	5.125"	4.590"	13 # - 23 #	2-7/8" Regular
7"	6.740"	5.625"	17 # - 35 #	3-1/2" Regular
7-5/8"	7.450"	6.550"	20 # - 33.7 #	3-1/2" Regular
9-5/8"	9.102"	8.052"	29.3 # - 61.1 #	4-1/2" Regular
10-3/4"	10.650"	9.530"	40.5 # - 55.5 #	6-5/8" Regular
11-3/4"	11.420"	10.600"	38 # - 71 #	6-5/8" Regular
13-3/8"	12.750"	11.600"	48 # - 72 #	6-5/8" Regular
16"	15.420"	14.170"	55 # - 109 #	6-5/8" Regular
20"	19.200"	17.700"	94 # - 169 #	6-5/8" Regular
22"	20.600"	19.100"	142.8 # - 328.7 #	6-5/8" Regular





“We Are Here To Serve Our Customers!”



+1 (337) 442-6057

1369 West Mills Avenue
Breaux Bridge, LA 70517

+1 (877) 240-9564

3547 West 16th Street
Odessa, TX 79763